

	SAFETY DATA SHEET	Page : 1 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : AIA-PACK Serie 16
Product group : IN VITRO DIAGNOSTIC USE ONLY
Document no. : See annex

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional uses
Use of the substance/mixture : Laboratory use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Tosoh Europe NV
Transportstraat 4
3980 Tessenderlo
Belgium
T +32 13 66 88 30, F +32 13 66 47 49
info.raqa.eu@tosoh.com

Manufacturer

Tosoh Corporation
2-2-1 Yaesu, Chuo-ku
104-0028 Tokyo
Japan

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Hazardous to the aquatic environment – Chronic H411
Hazard, Category 2
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

	SAFETY DATA SHEET	Page : 2 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word

: Warning

Contains

: sodium azide

Hazard statements (CLP)

: H302 - Harmful if swallowed.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P264 - Wash hands, forearms and face thoroughly after handling.

P273 - Avoid release to the environment.

P391 - Collect spillage.

P501 - Dispose of contents and container to an approved waste disposal plant.

Extra phrases

: EUH032 - Contact with acids liberates very toxic gas.

2.3. Other hazards

Other hazards

: Results of PBT and vPvB assessment : Not applicable. Risk of dust explosion.

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

: Reagent
(lyophilised)

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium azide	CAS-No.: 26628-22-8 EC-No.: 247-852-1 EC Index: 011-004-00-7	2,5 – 10	Acute Tox. 2 (Oral), H300 (ATE=5 mg/kg) Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

	SAFETY DATA SHEET	Page : 3 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

SECTION 4: First aid measures

4.1. Description of first aid measures

Additional advice	: First aider: Pay attention to self-protection!. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance. Treat symptomatically.
Inhalation	: Remove casualty to fresh air and keep warm and at rest. Give oxygen or artificial respiration if necessary. In case of doubt or persistent symptoms, consult always a physician.
Skin contact	: Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. In case of doubt or persistent symptoms, consult always a physician.
Eyes contact	: Rinse immediately carefully and thoroughly with eye-bath or water. In case of doubt or persistent symptoms, consult always a physician.
Ingestion	: Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Inhalation	: May be harmful if inhaled. May cause respiratory irritation.
Skin contact	: May be harmful if absorbed through skin. May cause skin irritation.
Eyes contact	: May cause eye irritation.
Ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: carbon dioxide (CO2), powder, alcohol-resistant foam, water spray.
Unsuitable extinguishing media	: Strong water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards	: Not flammable. Risk of dust explosion.
Hazardous decomposition products in case of fire	: Unknown.

5.3. Advice for firefighters

Firefighting instructions	: Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment. Avoid dust formation. Knock down/dilute dust cloud with water spray.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.
Other information	: Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

	SAFETY DATA SHEET	Page : 4 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

For non-emergency personnel : Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ensure equipment is adequately earthed. Use explosion-proof equipment. Use only non-sparking tools.

6.1.2. For emergency responders

For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Provide adequate ventilation. Stop leak if safe to do so. Dam up the solid spill. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Large spills: scoop solid spill into closing containers. This material and its container must be disposed of in a safe way, and as per local legislation. Avoid dust formation. Knock down/dilute dust cloud with water spray.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe dust. Avoid contact with skin, eyes and clothing. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment. Avoid dust formation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools.

Hygiene measures : Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

	SAFETY DATA SHEET	Page : 5 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep container tightly closed in a cool, well-ventilated place. Keep only in the original container. Protect from moisture. Do not store near or with any of the incompatible materials listed in section 10. Recommended storage temperature : 2-8°C.

7.3. Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

sodium azide (26628-22-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Sodium azide
IOEL TWA	0,1 mg/m ³
IOEL STEL	0,3 mg/m ³
Remark	Possibility of significant uptake through the skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Albania - Occupational Exposure Limits	
Local name	Azid natriumi
OEL TWA	0,1 mg/m ³
OEL STEL	0,3 mg/m ³
Remark	Lëkurë (tregon mundësinë e një marrjeje të rëndësishme nëpërmjet lëkurës)
Regulatory reference	VENDIM Nr. 522, datë 6.8.2014 PËR MIRATIMIN E RREGULLORES "PËR MBROJTJEN E SIGURISË DHE SHËNDETIT TË PUNËMARRËSVE NGA RISQET E LIDHURA ME AGJENTËT KIMIKE NË PUNË"
Austria - Occupational Exposure Limits	
Local name	Natriumazid
MAK (OEL TWA)	0,1 mg/m ³
MAK (OEL STEL)	0,3 mg/m ³
Remark	H
OEL chemical category	Skin notation
Regulatory reference	BGBI. II Nr. 156/2021
Belgium - Occupational Exposure Limits	
Local name	Sodium (azoture de) # Natriumazide
OEL TWA	0,1 mg/m ³
OEL STEL	0,3 mg/m ³

	SAFETY DATA SHEET	Page : 6 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

sodium azide (26628-22-8)	
Remark	D: la mention "D" signifie que la résorption de l'agent, via la peau, les muqueuses ou les yeux, constitue une partie importante de l'exposition totale. Cette résorption peut se faire tant par contact direct que par présence de l'agent dans l'air, M: la mention "M" indique que lors d'une exposition supérieure à la valeur limite, des irritations apparaissent ou un danger d'intoxication aiguë existe. Le procédé de travail doit être conçu de telle façon que l'exposition ne dépasse jamais la valeur limite. Lors des mesurages, la période d'échantillonnage doit être aussi courte que possible afin de pouvoir effectuer des mesurages fiables. Le résultat des mesurages est calculé en fonction de la période d'échantillonnage. # D: de vermelding "D" betekent dat de opname van het agens via de huid, de slijmvliezen of de ogen een belangrijk deel van de totale blootstelling vormt. Deze opname kan het gevolg zijn van zowel direct contact als zijn aanwezigheid in de lucht, M: de vermelding "M" duidt aan dat bij de blootstelling boven de grenswaarde irritatie optreedt of er gevaar bestaat voor acute vergiftiging. Het werkprocédé moet zo zijn ontworpen dat de blootstelling de grenswaarde nooit overschrijdt. Bij een controle geldt dat de bemonsterde periode zo kort mogelijk moet zijn om een betrouwbare meting te kunnen verrichten. Het meetresultaat wordt dan gerelateerd aan de beschouwde periode.
OEL chemical category	Skin, Skin notation
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023
Bulgaria - Occupational Exposure Limits	
Local name	Натриев азид
OEL TWA	0,1 mg/m ³
OEL STEL	0,3 mg/m ³
Remark	Кожа (възможна е значителна резорбция чрез кожата); • (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Croatia - Occupational Exposure Limits	
Local name	Natrijev azid
GVI (OEL TWA)	0,1 mg/m ³
KGVI (OEL STEL)	0,3 mg/m ³
Remark	Direktiva: 2000/39/EZ. Napomena: Koža (razvrstana kao tvar koja nadražuje kožu (H315))
OEL chemical category	Skin notation
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 148/2023)
Cyprus - Occupational Exposure Limits	
Local name	Αζίδιο του νατρίου
OEL TWA	0,1 mg/m ³

	SAFETY DATA SHEET	Page : 7 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

sodium azide (26628-22-8)	
OEL STEL	0,3 mg/m ³
OEL chemical category	Skin-potential for cutaneous absorption
Remark	δέρμα
Regulatory reference	Κανονισμοί του 2007 (Κ.Δ.Π. 295/2007)
Czech Republic - Occupational Exposure Limits	
Local name	Azid sodný
PEL (OEL TWA)	0,1 mg/m ³
NPK-P (OEL C)	0,3 mg/m ³
Remark	D - při expozici se významně uplatňuje pronikání faktoru kůží, I - dráždí sliznice (oči, dýchací cesty) resp. kůži.
OEL chemical category	Potential for cutaneous absorption
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 330/2023 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Natriumazid
OEL TWA	0,1 mg/m ³
OEL STEL	0,3 mg/m ³
Remark	E (betyder, at stoffet har en EF-grænseværdi); H (betyder, at stoffet kan optages gennem huden)
OEL chemical category	Potential for cutaneous absorption
Regulatory reference	BEK nr 202 af 21/02/2023
Estonia - Occupational Exposure Limits	
Local name	Naatriumasiid
OEL TWA	0,1 mg/m ³
OEL STEL	0,3 mg/m ³
Remark	A (Naha kaudu kergesti imenduv aine), S (Sensibiliseeriv aine)
OEL chemical category	Skin notation, Sensitizer
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 21.12.2022, 3)
Finland - Occupational Exposure Limits	
Local name	Natriumatsidi
HTP (OEL TWA)	0,1 mg/m ³
HTP (OEL STEL)	0,3 mg/m ³
Remark	Iho
OEL chemical category	Potential for cutaneous absorption
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveystieteiden ministeriö)
France - Occupational Exposure Limits	
Local name	Azide de sodium

	SAFETY DATA SHEET	Page : 8 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

sodium azide (26628-22-8)	
VME (OEL TWA)	0,1 mg/m ³ (restrictive limit)
VLE (OEL C/STEL)	0,3 mg/m ³ (restrictive limit)
Remark	Valeurs réglementaires contraignantes. Risque de pénétration percutanée
OEL chemical category	Risk of cutaneous absorption
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 6443, 2022; Outil65; Décret n° 2019-1487; Décret n° 2020-1546; Décret n° 2021-434; Décret n° 2021-1849)

Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Natriumazid
Occupational exposure limit value (mg/m ³) (TRGS900)	0,2 mg/m ³
Peak exposure limitation factor	2(I)
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich)
Regulatory reference	TRGS900

Gibraltar - Occupational Exposure Limits	
Local name	Sodium azide
OEL TWA	0,1 mg/m ³
OEL STEL	0,3 mg/m ³
Remark	Skin
OEL chemical category	Skin notation
Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)

Greece - Occupational Exposure Limits	
Local name	Νατράζιδιο
OEL TWA	0,3 mg/m ³
	0,1 ppm
OEL STEL	0,3 mg/m ³
	0,1 ppm
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους

Hungary - Occupational Exposure Limits	
Local name	NÁTRIUM-AZID
AK (OEL TWA)	0,1 mg/m ³
CK (OEL STEL)	0,3 mg/m ³
Remark	EU1 (2000/39/EK irányelvben közölt érték); N (Irritáló anyagok, egyszerű fojtógázok, csekély egészségkárosító hatással bíró anyagok)

	SAFETY DATA SHEET	Page : 9 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

sodium azide (26628-22-8)	
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
Ireland - Occupational Exposure Limits	
Local name	Sodium azide (as NaN ₃)
OEL TWA	0,1 mg/m ³
OEL STEL	0,3 mg/m ³
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)
OEL chemical category	Potential for cutaneous absorption
Regulatory reference	Chemical Agents Code of Practice 2021
Italy - Occupational Exposure Limits	
Local name	Azoturo di sodio
OEL TWA	0,1 mg/m ³
OEL STEL	0,3 mg/m ³
Remark	Cute
OEL chemical category	skin - potential for cutaneous absorption
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.
Latvia - Occupational Exposure Limits	
Local name	Nātrija azīds
OEL TWA	0,1 mg/m ³
OEL STEL	0,3 mg/m ³
Remark	Āda
OEL chemical category	skin - potential for cutaneous exposure
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92)
Lithuania - Occupational Exposure Limits	
Local name	Natrio azidas
IPRV (OEL TWA)	0,1 mg/m ³
TPRV (OEL STEL)	0,3 mg/m ³
Remark	O (medžiaga į organizmą gali prasiskverbti pro nepažeistą odą); Ū (ūmus poveikis)
OEL chemical category	Skin notation
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
Luxembourg - Occupational Exposure Limits	
Local name	Azide de sodium
OEL TWA	0,1 mg/m ³
OEL STEL	0,3 mg/m ³

	SAFETY DATA SHEET	Page : 10 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

sodium azide (26628-22-8)	
OEL chemical category	Possibility of significant uptake through the skin
Remark	Peau
Regulatory reference	Mémorial A N° 226 de 2021 concernant la protection de la sécurité et de la santé des salariés contre les risques liés à des agents chimiques sur le lieu de travail
Malta - Occupational Exposure Limits	
Local name	Sodium azide
OEL TWA	0,1 mg/m ³
OEL STEL	0,3 mg/m ³
Remark	Skin # Ġilda
OEL chemical category	Possibility of significant uptake through the skin
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)
Netherlands - Occupational Exposure Limits	
Local name	Natriumazide
TGG-8u (OEL TWA)	0,1 mg/m ³
TGG-15min (OEL STEL)	0,3 mg/m ³
Remark	H (Huidopname) Stoffen die relatief gemakkelijk door de huid kunnen worden opgenomen, hetgeen een substantiële bijdrage kan betekenen aan de totale inwendige blootstelling, hebben in de lijst een H-aanduiding. Bij deze stoffen moeten naast maatregelen tegen inademing ook adequate maatregelen ter voorkoming van huidcontact worden genomen.
MAC chemical category	Skin notation
Regulatory reference	Arbeidsomstandighedenregeling 2024
Poland - Occupational Exposure Limits	
Local name	Azydek sodu
NDS (OEL TWA)	0,1 mg/m ³
NDSch (OEL STEL)	0,3 mg/m ³
Remark	Skóra (Oznakowanie substancji notacją „skóra” oznacza, że wchłanianie substancji przez skórę może być tak samo istotne jak przy narażeniu drogą oddechową).
Regulatory reference	Dz. U. 2018 poz. 1286 wraz z późn. zm.
Portugal - Indicative Occupational Exposure Limit (IOEL)	
Local name	Azida de sódio
IOEL TWA	0,1 mg/m ³
IOEL STEL	0,3 mg/m ³
Remark	Cutânea.
Regulatory reference	Decreto-Lei n.º 1/2021 de 6 de janeiro
Portugal - Occupational Exposure Limits	
Local name	Azida de sódio

	SAFETY DATA SHEET	Page : 11 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

sodium azide (26628-22-8)	
OEL TWA	0,1 mg/m ³ (indicative limit value)
OEL STEL	0,3 mg/m ³ (indicative limit value)
OEL C	0,29 mg/m ³
	0,11 ppm (vapor)
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value
Remark	A4 (Agente não classificável como carcinogénico no Homem)
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Azidă de sodiu
OEL TWA	0,1 mg/m ³
OEL STEL	0,3 mg/m ³
OEL chemical category	Skin notation
Remark	P - posibilitatea unei penetrări cutanate importante
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
Serbia - Occupational Exposure Limits	
Local name	натријум-азид
OEL TWA	0 mg/m ³
OEL STEL	0 mg/m ³
Remark	EY* – напомена да се ради о хемијским материјама за које су утврђене индикативне граничне вредности изложености према Директиви 2000/39/ЕЗ (прва листа); К – напомена да хемијска материја може штетно деловати на кожу
Regulatory reference	ПРАВИЛНИК о превентивним мерама за безбедан и здрав рад при излагању хемијским материјама („Службени гласник РС”, бр. 106/09, 117/17 и 107/21)
Slovakia - Occupational Exposure Limits	
Local name	Azid sodný
NPHV (OEL TWA)	0,1 mg/m ³ (Sodium azide)
NPHV (OEL STEL)	0,3 mg/m ³
NPHV (OEL C)	0,3 mg/m ³
Remark	K - znamená, že faktor môže byť ľahko absorbovaný kožou
OEL chemical category	Potential for cutaneous absorption
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
Slovenia - Occupational Exposure Limits	
Local name	natrijev azid
OEL TWA	0,1 mg/m ³
OEL STEL	0,3 mg/m ³

	SAFETY DATA SHEET	Page : 12 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

sodium azide (26628-22-8)	
Remark	K (Lastnost lažjega prehajanja snovi v organizem skozi kožo), EU
OEL chemical category	Potential for cutaneous absorption
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
Spain - Occupational Exposure Limits	
Local name	Azida de sodio (Aziduro de sodio; Trinitruro de sodio)
VLA-ED (OEL TWA)	0,1 mg/m³ (indicative limit value)
VLA-EC (OEL STEL)	0,3 mg/m³
Remark	Vía dérmica (Indica que, en las exposiciones a esta sustancia, la aportación por la vía cutánea puede resultar significativa para el contenido corporal total si no se adoptan medidas para prevenir la absorción. En estas situaciones, es aconsejable la utilización del control biológico para poder cuantificar la cantidad global absorbida del contaminante), VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).
OEL chemical category	skin - potential for cutaneous absorption
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2024. INSHT
Sweden - Occupational Exposure Limits	
Local name	Natriumazid
NGV (OEL TWA)	0,1 mg/m³
KGV (OEL STEL)	0,3 mg/m³
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
United Kingdom - Occupational Exposure Limits	
Local name	Sodium azide
WEL TWA (OEL TWA)	0,1 mg/m³
WEL STEL (OEL STEL)	0,3 mg/m³
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
WEL chemical category	Potential for cutaneous absorption
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Iceland - Occupational Exposure Limits	
Local name	Natriumasíð
OEL TWA	0,1 mg/m³
OEL STEL	0,3 mg/m³
Remark	H (efnið getur auðveldlega borist inn í líkamann gegnum húð)
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Norway - Occupational Exposure Limits	
Local name	Natriumazid

	SAFETY DATA SHEET	Page : 13 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

sodium azide (26628-22-8)	
Grenseverdi (OEL TWA)	0,1 mg/m ³
Korttidsverdi (OEL STEL)	0,3 mg/m ³ (value from the regulation)
Remark	E: EU har en veiledende grenseverdi og/eller anmerkning for stoffet.
Regulatory reference	FOR-2023-12-18-2278

North Macedonia - Occupational Exposure Limits

Local name	натриум азид
OEL TWA	0,1 mg/m ³
KTV	3
Short time value [mg/m ³]	0,3 mg/m ³
Remark	(KTV) краткотрајна вредност (КТВ) значи концентрација на опасни хемиски супстанции во воздухот на работното место внатре во зона на дишење, на која работникот без опасност по здравјето може да е изложен на покусо време. Изложеноста на краткотрајни вредности може да трае највеќе 15 минути и не смее да се повтори повеќе од четирипати во работната смена, при што меѓу две изложености на оваа концентрација мора да измине најмалку 60 минути. Краткотрајната вредност е изразена во mg/m ³ или во ml/m ³ (ppm) а е дадена како многукратни дозволени пречекорувања на граничната вредност; (K) својство на полесно пренесување на супстанците во организмот преку кожата; (EU) European Union – гранична вредност, определена на ниво на Европската унија
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанции („Службен весник на Република Македонија“ бр.46/10)

Switzerland - Occupational Exposure Limits

Local name	Azide de sodium / Natriumazid
MAK (OEL TWA)	0,2 mg/m ³ (also see Hydrazoic acid-inhalable dust)
KZGW (OEL STEL)	0,4 mg/m ³ (inhalable dust)
Remark	OSHA
Regulatory reference	www.suva.ch, 01.01.2024

USA - ACGIH - Occupational Exposure Limits

Local name	Sodium azide
ACGIH OEL C	0,29 mg/m ³
	0,11 ppm
Remark (ACGIH)	TLV® Basis: Card impair; lung dam. Notations: A4 (Not classifiable as a Human Carcinogen)
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Regulatory reference	ACGIH 2024

	SAFETY DATA SHEET	Page : 14 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

8.1.2. Recommended monitoring procedures

Monitoring methods	
Monitoring methods	Concentration measurement in air. Personal air monitoring .

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Additional information : Recommended monitoring procedures :. Personal air monitoring. Room air monitoring

8.1.5. Control banding

No additional information available

8.2. Exposure controls

Engineering measure(s)	: Provide adequate ventilation. Organisational measures to prevent/limit releases, dispersion and exposure. See Section 7 for information on safe handling. Apply measures to prevent dust explosions. Ensure equipment is adequately earthed.
Personal protective equipment	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hand protection	: Wear chemically resistant gloves (tested to EN374) . Suitable material: Not determined. Thickness : Not determined. Breakthrough time : Not determined. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
Eye protection	: Use suitable eye protection (EN166): Safety glasses with side shields
Body protection	: Wear suitable protective clothing. Lab coat
Respiratory protection	: Not required for normal conditions of use. Provide appropriate exhaust ventilation at places where dust is formed. Effective dust mask (EN 149). When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. full face mask (DIN EN 136). Half-face mask (DIN EN 140). In case of dust formation use respirator with filter: P1 (EN 143)
Thermal hazard protection	: Not required for normal conditions of use. Use dedicated equipment.
Environmental exposure controls	: Avoid release to the environment. Comply with applicable Community environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Light beige.
Appearance	: Powder. (lyophilised).
Odour	: odourless.
Odour threshold	: Not applicable
Melting / freezing point	: Not applicable

	SAFETY DATA SHEET	Page : 15 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

Freezing point	: Not applicable
Initial boiling point and boiling range	: Not applicable
Flammability	: Not applicable
Explosive properties	: Not applicable.
Oxidising properties	: Not applicable.
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not determined
pH	: Not applicable
pH solution	: Not available
Kinematic viscosity	: Not applicable
Dynamic viscosity	: Not applicable
Solubility	: Water: Not determined
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water	: Not applicable
Vapour pressure	: Not applicable
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not determined
Vapour density	: Not applicable
Particle size	: Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1)	: Not applicable
Additional information	: No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at ambient temperature and under normal conditions of use. Reference to other sections: 10.4 & 10.5.

10.2. Chemical stability

Stable under recommended storage conditions. (2-8°C). Observe the expiry date.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from moisture. See Section 7 for information on safe handling.

	SAFETY DATA SHEET	Page : 16 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

10.5. Incompatible materials

Strong oxidizing agents. See Section 7 for information on safe handling.

10.6. Hazardous decomposition products

Reference to other sections 5.2.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

AIA-PACK Serie 16	
ATE CLP (oral)	1000 mg/kg bodyweight
sodium azide (26628-22-8)	
LD50/oral/rat	45 mg/kg
LD50/dermal/rabbit	20 mg/kg (Source: NLM_HSDB)
LC50/inhalation/4h/rat	0,054 – 0,52 mg/l/4h

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

AIA-PACK Serie 16	
Kinematic viscosity	Not applicable

	SAFETY DATA SHEET	Page : 17 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

Other information

: Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4

SECTION 12: Ecological information

12.1. Toxicity

Environmental properties

: Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute)

: Not classified

Hazardous to the aquatic environment, long-term (chronic)

: Toxic to aquatic life with long lasting effects.

sodium azide (26628-22-8)

LC50 - Fish [1]

0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

LC50 - Fish [2]

0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)

12.2. Persistence and degradability

AIA-PACK Serie 16

Persistence and degradability

No additional information available.

12.3. Bioaccumulative potential

AIA-PACK Serie 16

Partition coefficient n-octanol/water

Not applicable

Bioaccumulative potential

No additional information available.

12.4. Mobility in soil

AIA-PACK Serie 16

Mobility in soil

No additional information available

Ecology - soil

No data available.

12.5. Results of PBT and vPvB assessment

AIA-PACK Serie 16

Results of PBT assessment

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

	SAFETY DATA SHEET	Page : 18 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Other adverse effects : No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods






Product/Packaging disposal recommendations : Handle with care. See Section 7 for information on safe handling . Do not allow to enter into surface water or drains. Dispose of contaminated materials in accordance with current regulations.

Additional information : Delivery to an approved waste disposal company.

European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC) : MS-N13.00030010 - Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
3077	3077	3077	3077	3077
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (sodium azide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (sodium azide)	Environmentally hazardous substance, solid, n.o.s. (sodium azide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (sodium azide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (sodium azide)
Transport document description				
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (sodium azide), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (sodium azide), 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s. (sodium azide), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (sodium azide), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (sodium azide), 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the	Dangerous for the environment : Yes	Dangerous for the	Dangerous for the	Dangerous for the

	SAFETY DATA SHEET	Page : 19 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

ADR	IMDG	IATA	ADN	RID
environment : Yes	Marine pollutant : Yes	environment : Yes	environment : Yes	environment : Yes
No supplementary information available				

14.6. Special precautions for user

Special precautions for user : No data available

- Overland transport

Classification code (ADR) : M7

Special provisions : 274, 335, 375, 601

Limited quantities (ADR) : 5kg

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : PP12, B3

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions (ADR) : T1, BK1, BK2, BK3

Portable tank and bulk container special provisions (ADR) : TP33

Tank code (ADR) : SGAV, LGBV

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V13

Special provisions for carriage - Bulk (ADR) : VC1, VC2

Special provisions for carriage - Loading, unloading and handling (ADR) : CV13

Hazard identification number (Kemler No.) : 90

Orange plates :

90

3077

Tunnel restriction code : -

EAC code : 2Z

- Transport by sea

Special provisions (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP02, P002

Special packing provisions (IMDG) : PP12

IBC packing instructions (IMDG) : IBC08

IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : BK1, BK2, BK3, T1

Tank special provisions (IMDG) : TP33

EmS-No. (Fire) : F-A

	SAFETY DATA SHEET	Page : 20 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW23

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 956
PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg
Special provisions (IATA) : A97, A158, A179, A197, A215
ERG code (IATA) : 9L

- Inland waterway transport

Classification code (ADN) : M7
Special provisions (ADN) : 274, 335, 375, 601
Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T* B**
Equipment required (ADN) : PP, A***
Number of blue cones/lights (ADN) : 0
Additional requirements/Remarks (ADN) : * Only in the molten state. ** For carriage in bulk see also 7.1.4.1. *** Only in the case of transport in bulk.

- Rail transport

Classification code (RID) : M7
Special provisions (RID) : 274, 335, 375, 601
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1
Packing instructions (RID) : P002, IBC08, LP02, R001
Special packing provisions (RID) : PP12, B3
Mixed packing provisions (RID) : MP10
Portable tank and bulk container instructions (RID) : T1, BK1, BK2, BK3
Portable tank and bulk container special provisions (RID) : TP33
Tank codes for RID tanks (RID) : SGAV, LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W13
Special provisions for carriage – Bulk (RID) : VC1, VC2
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31
Colis express (express parcels) (RID) : CE11

	SAFETY DATA SHEET	Page : 21 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Code: IBC : No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Detergent Regulation (648/2004/EC): Labelling of contents

15.1.2. National regulations

	SAFETY DATA SHEET	Page : 22 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

France

Installations classées			
No ICPE	Désignation de la rubrique	Code Régime	Rayon
4511.text	Dangereux pour l'environnement aquatique de catégorie chronique 2.		
4511.1	La quantité totale susceptible d'être présente dans l'installation étant : 1. Supérieure ou égale à 200 t Quantité seuil bas au sens de l'article R. 511-10 : 200 t. Quantité seuil haut au sens de l'article R. 511-10 : 500 t.	A	1
4511.2	La quantité totale susceptible d'être présente dans l'installation étant : 2. Supérieure ou égale à 100 t mais inférieure à 200 t Quantité seuil bas au sens de l'article R. 511-10 : 200 t. Quantité seuil haut au sens de l'article R. 511-10 : 500 t.	DC	

No ICPE

No ICPE

No ICPE

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Listed in the 12. BImSchV (Annex I) under: 1.3.2
- Quantity threshold for operational area under § 1 para. 1
- Sentence 1 :200000 kg
- Sentence 2 :500000 kg

Technical Instructions on Air Quality Control (TA Luft) : Total dust.

Netherlands

Waterbezwaarlijkheid : A (2) - Vergiftig voor in water levende organismen kan in het aquatische milieu op lange termijn schadelijke effecten veroorzaken

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

Not applicable

SECTION 16: Other information

Indication of changes:

1.3	Details of the supplier	Modified	
-----	-------------------------	----------	--

	SAFETY DATA SHEET	Page : 23 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

	of the safety data sheet		
--	--------------------------	--	--

Abbreviations and acronyms:

	ABM = Algemene beoordelingsmethodiek
	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
	CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
	IATA = International Air Transport Association
	IMDG = International Maritime Dangerous Goods Code
	LEL = Lower Explosive Limit/Lower Explosion Limit
	UEL = Upper Explosion Limit/Upper Explosive Limit
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	BTT = Breakthrough time (maximum wearing time)
	DMEL = Derived Minimal Effect level
	DNEL = Derived No Effect Level
	EC50 = Median Effective Concentration
	EL50 = Median effective level
	ErC50 = EC50 in terms of reduction of growth rate
	ErL50 = EL50 in terms of reduction of growth rate
	EWG = European waste catalogue
	LC50 = Median lethal concentration
	LD50 = Median lethal dose
	LL50 = Median lethal level
	NA = Not applicable
	NOEC = No observed effect concentration
	NOEL: no-observed-effect level
	NOELR = No observed effect loading rate
	NOAEC = No observed adverse effect concentration
	NOAEL = No observed adverse effect level
	N.O.S. = Not Otherwise Specified
	OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
	PNEC = Predicted No Effect Concentration
	Quantitative structure-activity relationship (QSAR)
	STOT = Specific Target Organ Toxicity
	TWA = time weighted average
	VOC = Volatile organic compounds
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the datasheet : Additional information : Manufacturer/Supplier. ECHA (European Chemicals Agency), LOLI.

Training advice : Training staff on good practice. Manipulations are to be done only by qualified and authorised persons.

Other information : Classification - Assessment method: CLP Calculation method (Article 9).

Full text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH032	Contact with acids liberates very toxic gas.

	SAFETY DATA SHEET	Page : 24 / 24
		Revision nr : 4.0
		Issue date : 04/04/2024
	AIA-PACK Serie 16	Supersedes : 21/03/2023
		See annex

H300	Fatal if swallowed.
H302	Harmful if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Classification according to Regulation (EC) No. 1272/2008 [CLP]
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

ANNEX: AIA-PACK Serie 16, Tosoh-42

Revision Nr: 20/04/2024

EN

Product code	Designation
0020385	AIA-PACK SLa CALIBRATOR SET
0025304	ST AIA-PACK Testosterone CALIBRATOR SET