

	<b>SAFETY DATA SHEET</b>	Page : 1 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : AIA-PACK Serie 26  
Product group : IN VITRO DIAGNOSTIC USE ONLY  
Document no. : See annex

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional uses  
Use of the substance/mixture : Laboratory use

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Tosoh Europe NV  
Transportstraat 4  
3980 Tessenderlo  
Belgium  
T +32 13 66 88 30, F +32 13 66 47 49  
[info.raqa.eu@tosoh.com](mailto:info.raqa.eu@tosoh.com)

#### Manufacturer

Tosoh Corporation  
2-2-1 Yaesu, Chuo-ku  
104-0028 Tokyo  
Japan

### 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317  
Hazardous to the aquatic environment – Chronic H411  
Hazard, Category 2  
Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

	<b>SAFETY DATA SHEET</b>	Page : 2 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word

: Warning

Contains

: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Hazard statements (CLP)

: H317 - May cause an allergic skin reaction.  
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P273 - Avoid release to the environment.  
P280 - Wear protective gloves.  
P391 - Collect spillage.  
P501 - Dispose of contents and container to an approved waste disposal plant.

Extra phrases

: EUH032 - Contact with acids liberates very toxic gas.

## 2.3. Other hazards

Other hazards

: Results of PBT and vPvB assessment : Not applicable. Risk of dust explosion.

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Comments

: Reagent  
(lyophilised)

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium azide substance with a Community workplace exposure limit	CAS-No.: 26628-22-8 EC-No.: 247-852-1 EC Index: 011-004-00-7	0,25 - <2	Acute Tox. 2 (Oral), H300 (ATE=5 mg/kg) Aquatic Acute 1, H400 Aquatic Chronic 1, H410

	<b>SAFETY DATA SHEET</b>	Page : 3 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		See annex

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index: 613-167-00-5	0,025 – 0,05	Acute Tox. 2 (Inhalation), H330 (ATE=0,5 mg/l/4h) Acute Tox. 2 (Dermal), H310 (ATE=50 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

**Specific concentration limits:**

Substance name	Product identifier	Specific concentration limits (%)
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index: 613-167-00-5	(0,0015 ≤ C ≤ 100) Skin Sens. 1A, H317 (0,06 ≤ C < 0,6) Eye Irrit. 2, H319 (0,06 ≤ C < 0,6) Skin Irrit. 2, H315 (0,6 ≤ C ≤ 100) Eye Dam. 1, H318 (0,6 ≤ C ≤ 100) Skin Corr. 1C, H314

Full text of H- and EUH-statements: see section 16

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

Additional advice	: First aider: Pay attention to self-protection!. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance. Treat symptomatically.
Inhalation	: Remove casualty to fresh air and keep warm and at rest. Give oxygen or artificial respiration if necessary. In case of doubt or persistent symptoms, consult always a physician.
Skin contact	: Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. In case of doubt or persistent symptoms, consult always a physician.
Eyes contact	: Rinse immediately carefully and thoroughly with eye-bath or water. In case of doubt or persistent symptoms, consult always a physician.
Ingestion	: Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Get medical advice/attention.

**4.2. Most important symptoms and effects, both acute and delayed**

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Inhalation	: May be harmful if inhaled. May cause respiratory irritation.
Skin contact	: May cause an allergic skin reaction. May be harmful if absorbed through skin. May cause skin irritation.
Eyes contact	: May cause eye irritation.
Ingestion	: May be harmful if swallowed.

	<b>SAFETY DATA SHEET</b>	Page : 4 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

#### **4.3. Indication of any immediate medical attention and special treatment needed**

No data available.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

Suitable extinguishing media : carbon dioxide (CO2), powder, alcohol-resistant foam, water spray.  
 Unsuitable extinguishing media : Strong water jet.

#### **5.2. Special hazards arising from the substance or mixture**

Specific hazards : Not flammable. Risk of dust explosion.  
 Hazardous decomposition products in case of fire : Unknown.

#### **5.3. Advice for firefighters**

Firefighting instructions : Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment. Avoid dust formation. Knock down/dilute dust cloud with water spray.  
 Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.  
 Other information : Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **6.1.1. For non-emergency personnel**

For non-emergency personnel : Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ensure equipment is adequately earthed. Use explosion-proof equipment. Use only non-sparking tools.

##### **6.1.2. For emergency responders**

For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

#### **6.3. Methods and material for containment and cleaning up**

Methods for cleaning up : Provide adequate ventilation. Stop leak if safe to do so. Dam up the solid spill. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Large spills: scoop solid spill into closing containers. This material and its container must be disposed of in a safe way, and as per local legislation. Avoid dust formation. Knock down/dilute dust cloud with water spray.

	<b>SAFETY DATA SHEET</b>	Page : 5 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

#### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe dust. Avoid contact with skin, eyes and clothing. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment. Contaminated work clothing must not be allowed out of the workplace. Avoid dust formation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools.

Hygiene measures

: Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Keep container tightly closed in a cool, well-ventilated place. Keep only in the original container. Protect from moisture. Do not store near or with any of the incompatible materials listed in section 10. Recommended storage temperature : 2-8°C.

#### 7.3. Specific end use(s)

No data available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

##### **8.1.1 National occupational exposure and biological limit values**

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
Austria - Occupational Exposure Limits	
Local name	5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-dihydroisothiazol-3-on (Gemisch im Verhältnis 3:1)
MAK (OEL TWA)	0,05 mg/m <sup>3</sup> (5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-methyl-2,3-dihydroisothiazol-3-one mixture in ratio 3:1)
Remark	Sh
OEL chemical category	Skin sensitizer

	<b>SAFETY DATA SHEET</b>	Page : 6 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
Regulatory reference	BGBl. II Nr. 156/2021
Switzerland - Occupational Exposure Limits	
Local name	2,3-Dihydro-isothiazol-3-one de 5-chloro-2-méthyle et 2,3-dihydro-isothiazol-3-one de 2-méthyle [2,3-Dihydro-isothiazol-3-one de 5-chloro-2-méthyle, 2,3-Dihydro-isothiazol-3-one de 2-méthyle] / 5-Chlor-2-methyl-2,3-dihydro-isothiazol-3-on und 2-Methyl-2,3-dihydroisothiazol-3-on [2-Methyl-2,3-dihydroisothiazol-3-on, 5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on]
MAK (OEL TWA)	0,2 mg/m <sup>3</sup> (inhalable dust)
KZGW (OEL STEL)	0,4 mg/m <sup>3</sup> (inhalable dust)
Notation	S, SS <sub>c</sub> / S, SS <sub>c</sub>
OEL chemical category	Sensitizer
Regulatory reference	www.suva.ch, 01.01.2024

sodium azide (26628-22-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Sodium azide
IOEL TWA	0,1 mg/m <sup>3</sup>
IOEL STEL	0,3 mg/m <sup>3</sup>
Remark	Possibility of significant uptake through the skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Albania - Occupational Exposure Limits	
Local name	Azid natriumi
OEL TWA	0,1 mg/m <sup>3</sup>
OEL STEL	0,3 mg/m <sup>3</sup>
Remark	Lëkurë (tregon mundësinë e një marrjeje të rëndësishme nëpërmjet lëkurës)
Regulatory reference	VENDIM Nr. 522, datë 6.8.2014 PËR MIRATIMIN E RREGULLORES "PËR MBROJTJEN E SIGURISË DHE SHËNDETIT TË PUNËMARRËSVE NGA RISQET E LIDHURA ME AGJENTËT KIMIKE NË PUNË"
Austria - Occupational Exposure Limits	
Local name	Natriumazid
MAK (OEL TWA)	0,1 mg/m <sup>3</sup>
MAK (OEL STEL)	0,3 mg/m <sup>3</sup>
Remark	H
OEL chemical category	Skin notation
Regulatory reference	BGBl. II Nr. 156/2021
Belgium - Occupational Exposure Limits	
Local name	Sodium (azoture de) # Natriumazide
OEL TWA	0,1 mg/m <sup>3</sup>

	<b>SAFETY DATA SHEET</b>	Page : 7 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

<b>sodium azide (26628-22-8)</b>	
OEL STEL	0,3 mg/m <sup>3</sup>
Remark	D: la mention "D" signifie que la résorption de l'agent, via la peau, les muqueuses ou les yeux, constitue une partie importante de l'exposition totale. Cette résorption peut se faire tant par contact direct que par présence de l'agent dans l'air, M: la mention "M" indique que lors d'une exposition supérieure à la valeur limite, des irritations apparaissent ou un danger d'intoxication aiguë existe. Le procédé de travail doit être conçu de telle façon que l'exposition ne dépasse jamais la valeur limite. Lors des mesurages, la période d'échantillonnage doit être aussi courte que possible afin de pouvoir effectuer des mesurages fiables. Le résultat des mesurages est calculé en fonction de la période d'échantillonnage. # D: de vermelding "D" betekent dat de opname van het agens via de huid, de slijmvliezen of de ogen een belangrijk deel van de totale blootstelling vormt. Deze opname kan het gevolg zijn van zowel direct contact als zijn aanwezigheid in de lucht, M: de vermelding "M" duidt aan dat bij de blootstelling boven de grenswaarde irritatie optreedt of er gevaar bestaat voor acute vergiftiging. Het werkproces moet zo zijn ontworpen dat de blootstelling de grenswaarde nooit overschrijdt. Bij een controle geldt dat de bemonsterde periode zo kort mogelijk moet zijn om een betrouwbare meting te kunnen verrichten. Het meetresultaat wordt dan gerelateerd aan de beschouwde periode.
OEL chemical category	Skin, Skin notation
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023
<b>Bulgaria - Occupational Exposure Limits</b>	
Local name	Натриев азид
OEL TWA	0,1 mg/m <sup>3</sup>
OEL STEL	0,3 mg/m <sup>3</sup>
Remark	Кожа (възможна е значителна резорбция чрез кожата); • (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
<b>Croatia - Occupational Exposure Limits</b>	
Local name	Natrijev azid
GVI (OEL TWA)	0,1 mg/m <sup>3</sup>
KGVI (OEL STEL)	0,3 mg/m <sup>3</sup>
Remark	Direktiva: 2000/39/EZ. Napomena: Koža (razvrstana kao tvar koja nadražuje kožu (H315))
OEL chemical category	Skin notation
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 148/2023)
<b>Cyprus - Occupational Exposure Limits</b>	
Local name	Αζίδιο του νατρίου

	<b>SAFETY DATA SHEET</b>	Page : 8 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

<b>sodium azide (26628-22-8)</b>	
OEL TWA	0,1 mg/m <sup>3</sup>
OEL STEL	0,3 mg/m <sup>3</sup>
OEL chemical category	Skin-potential for cutaneous absorption
Remark	δέρμα
Regulatory reference	Κανονισμοί του 2007 (Κ.Δ.Π. 295/2007)
<b>Czech Republic - Occupational Exposure Limits</b>	
Local name	Azid sodný
PEL (OEL TWA)	0,1 mg/m <sup>3</sup>
NPK-P (OEL C)	0,3 mg/m <sup>3</sup>
Remark	D - při expozici se významně uplatňuje pronikání faktoru kůže, I - dráždí sliznice (oči, dýchací cesty) resp. kůže.
OEL chemical category	Potential for cutaneous absorption
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 330/2023 Sb.)
<b>Denmark - Occupational Exposure Limits</b>	
Local name	Natriumazid
OEL TWA	0,1 mg/m <sup>3</sup>
OEL STEL	0,3 mg/m <sup>3</sup>
Remark	E (betyder, at stoffet har en EF-grænseværdi); H (betyder, at stoffet kan optages gennem huden)
OEL chemical category	Potential for cutaneous absorption
Regulatory reference	BEK nr 202 af 21/02/2023
<b>Estonia - Occupational Exposure Limits</b>	
Local name	Naatriumasiid
OEL TWA	0,1 mg/m <sup>3</sup>
OEL STEL	0,3 mg/m <sup>3</sup>
Remark	A (Naha kaudu kergesti imenduv aine), S (Sensibiliseeriv aine)
OEL chemical category	Skin notation, Sensitizer
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 21.12.2022, 3)
<b>Finland - Occupational Exposure Limits</b>	
Local name	Natriumatsidi
HTP (OEL TWA)	0,1 mg/m <sup>3</sup>
HTP (OEL STEL)	0,3 mg/m <sup>3</sup>
Remark	Iho
OEL chemical category	Potential for cutaneous absorption
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)



	<b>SAFETY DATA SHEET</b>	Page : 9 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

#### sodium azide (26628-22-8)

##### France - Occupational Exposure Limits

Local name	Azide de sodium
VME (OEL TWA)	0,1 mg/m <sup>3</sup> (restrictive limit)
VLE (OEL C/STEL)	0,3 mg/m <sup>3</sup> (restrictive limit)
Remark	Valeurs réglementaires contraignantes. Risque de pénétration percutanée
OEL chemical category	Risk of cutaneous absorption
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 6443, 2022; Outil65; Décret n° 2019-1487; Décret n° 2020-1546; Décret n° 2021-434; Décret n° 2021-1849)

##### Germany - Occupational Exposure Limits (TRGS 900)

Local name	Natriumazid
Occupational exposure limit value (mg/m <sup>3</sup> ) (TRGS900)	0,2 mg/m <sup>3</sup>
Peak exposure limitation factor	2(I)
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich)
Regulatory reference	TRGS900

##### Gibraltar - Occupational Exposure Limits

Local name	Sodium azide
OEL TWA	0,1 mg/m <sup>3</sup>
OEL STEL	0,3 mg/m <sup>3</sup>
Remark	Skin
OEL chemical category	Skin notation
Regulatory reference	Factories (Control of Chemical Agents at Work) Regulations 2003 (LN. 2018/181)

##### Greece - Occupational Exposure Limits

Local name	Νατράζιδιο
OEL TWA	0,3 mg/m <sup>3</sup>
	0,1 ppm
OEL STEL	0,3 mg/m <sup>3</sup>
	0,1 ppm
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους

##### Hungary - Occupational Exposure Limits

Local name	NÁTRIUM-AZID
AK (OEL TWA)	0,1 mg/m <sup>3</sup>
CK (OEL STEL)	0,3 mg/m <sup>3</sup>

	<b>SAFETY DATA SHEET</b>	Page : 10 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

<b>sodium azide (26628-22-8)</b>	
Remark	EU1 (2000/39/EK irányelvben közölt érték); N (Irritáló anyagok, egyszerű fojtógázok, csekély egészségkárosító hatással bíró anyagok)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Sodium azide (as NaN <sub>3</sub> )
OEL TWA	0,1 mg/m <sup>3</sup>
OEL STEL	0,3 mg/m <sup>3</sup>
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)
OEL chemical category	Potential for cutaneous absorption
Regulatory reference	Chemical Agents Code of Practice 2021
<b>Italy - Occupational Exposure Limits</b>	
Local name	Azoturo di sodio
OEL TWA	0,1 mg/m <sup>3</sup>
OEL STEL	0,3 mg/m <sup>3</sup>
Remark	Cute
OEL chemical category	skin - potential for cutaneous absorption
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.
<b>Latvia - Occupational Exposure Limits</b>	
Local name	Nātrija azīds
OEL TWA	0,1 mg/m <sup>3</sup>
OEL STEL	0,3 mg/m <sup>3</sup>
Remark	Āda
OEL chemical category	skin - potential for cutaneous exposure
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92)
<b>Lithuania - Occupational Exposure Limits</b>	
Local name	Natrio azidas
IPRV (OEL TWA)	0,1 mg/m <sup>3</sup>
TPRV (OEL STEL)	0,3 mg/m <sup>3</sup>
Remark	O (medžiaga į organizmą gali prasiskverbti pro nepažeistą odą); Ū (ūmus poveikis)
OEL chemical category	Skin notation
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
<b>Luxembourg - Occupational Exposure Limits</b>	
Local name	Azide de sodium

	<b>SAFETY DATA SHEET</b>	Page : 11 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

<b>sodium azide (26628-22-8)</b>	
OEL TWA	0,1 mg/m <sup>3</sup>
OEL STEL	0,3 mg/m <sup>3</sup>
OEL chemical category	Possibility of significant uptake through the skin
Remark	Peau
Regulatory reference	Mémorial A N° 226 de 2021 concernant la protection de la sécurité et de la santé des salariés contre les risques liés à des agents chimiques sur le lieu de travail
<b>Malta - Occupational Exposure Limits</b>	
Local name	Sodium azide
OEL TWA	0,1 mg/m <sup>3</sup>
OEL STEL	0,3 mg/m <sup>3</sup>
Remark	Skin # Ġilda
OEL chemical category	Possibility of significant uptake through the skin
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)
<b>Netherlands - Occupational Exposure Limits</b>	
Local name	Natriumazide
TGG-8u (OEL TWA)	0,1 mg/m <sup>3</sup>
TGG-15min (OEL STEL)	0,3 mg/m <sup>3</sup>
Remark	H (Huidopname) Stoffen die relatief gemakkelijk door de huid kunnen worden opgenomen, hetgeen een substantiële bijdrage kan betekenen aan de totale inwendige blootstelling, hebben in de lijst een H-aanduiding. Bij deze stoffen moeten naast maatregelen tegen inademing ook adequate maatregelen ter voorkoming van huidcontact worden genomen.
MAC chemical category	Skin notation
Regulatory reference	Arbeidsomstandighedenregeling 2024
<b>Poland - Occupational Exposure Limits</b>	
Local name	Azydek sodu
NDS (OEL TWA)	0,1 mg/m <sup>3</sup>
NDSch (OEL STEL)	0,3 mg/m <sup>3</sup>
Remark	Skóra (Oznakowanie substancji notacją „skóra” oznacza, że wchłanianie substancji przez skórę może być tak samo istotne jak przy narażeniu drogą oddechową).
Regulatory reference	Dz. U. 2018 poz. 1286 wraz z późn. zm.
<b>Portugal - Indicative Occupational Exposure Limit (IOEL)</b>	
Local name	Azida de sódio
IOEL TWA	0,1 mg/m <sup>3</sup>
IOEL STEL	0,3 mg/m <sup>3</sup>
Remark	Cutânea.
Regulatory reference	Decreto-Lei n.º 1/2021 de 6 de janeiro

	<b>SAFETY DATA SHEET</b>	Page : 12 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

#### sodium azide (26628-22-8)

##### Portugal - Occupational Exposure Limits

Local name	Azida de sódio
OEL TWA	0,1 mg/m <sup>3</sup> (indicative limit value)
OEL STEL	0,3 mg/m <sup>3</sup> (indicative limit value)
OEL C	0,29 mg/m <sup>3</sup>
	0,11 ppm (vapor)
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value
Remark	A4 (Agente não classificável como carcinogénico no Homem)
Regulatory reference	Norma Portuguesa NP 1796:2014

##### Romania - Occupational Exposure Limits

Local name	Azidă de sodiu
OEL TWA	0,1 mg/m <sup>3</sup>
OEL STEL	0,3 mg/m <sup>3</sup>
OEL chemical category	Skin notation
Remark	P - posibilitatea unei penetrări cutanate importante
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)

##### Serbia - Occupational Exposure Limits

Local name	натријум-азид
OEL TWA	0 mg/m <sup>3</sup>
OEL STEL	0 mg/m <sup>3</sup>
Remark	ЕУ* – напомена да се ради о хемијским материјама за које су утврђене индикативне граничне вредности изложености према Директиви 2000/39/ЕЗ (прва листа); К – напомена да хемијска материја може штетно деловати на кожу
Regulatory reference	ПРАВИЛНИК о превентивним мерама за безбедан и здрав рад при излагању хемијским материјама („Службени гласник РС”, бр. 106/09, 117/17 и 107/21)

##### Slovakia - Occupational Exposure Limits

Local name	Azid sodný
NPHV (OEL TWA)	0,1 mg/m <sup>3</sup> (Sodium azide)
NPHV (OEL STEL)	0,3 mg/m <sup>3</sup>
NPHV (OEL C)	0,3 mg/m <sup>3</sup>
Remark	K - znamená, že faktor môže byť ľahko absorbovaný kožou
OEL chemical category	Potential for cutaneous absorption
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)

##### Slovenia - Occupational Exposure Limits

Local name	natrijev azid
------------	---------------

	SAFETY DATA SHEET	Page : 13 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	AIA-PACK Serie 26	Supersedes : 31/03/2023
		See annex

sodium azide (26628-22-8)	
OEL TWA	0,1 mg/m³
OEL STEL	0,3 mg/m³
Remark	K (Lastnost lažjega prehajanja snovi v organizem skozi kožo), EU
OEL chemical category	Potential for cutaneous absorption
Regulatory reference	Uradni list RS, št. 72/2021 z dne 11.5.2021
Spain - Occupational Exposure Limits	
Local name	Azida de sodio (Aziduro de sodio; Trinitruro de sodio)
VLA-ED (OEL TWA)	0,1 mg/m³ (indicative limit value)
VLA-EC (OEL STEL)	0,3 mg/m³
Remark	Vía dérmica (Indica que, en las exposiciones a esta sustancia, la aportación por la vía cutánea puede resultar significativa para el contenido corporal total si no se adoptan medidas para prevenir la absorción. En estas situaciones, es aconsejable la utilización del control biológico para poder cuantificar la cantidad global absorbida del contaminante), VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo).
OEL chemical category	skin - potential for cutaneous absorption
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2024. INSHT
Sweden - Occupational Exposure Limits	
Local name	Natriumazid
NGV (OEL TWA)	0,1 mg/m³
KGV (OEL STEL)	0,3 mg/m³
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
United Kingdom - Occupational Exposure Limits	
Local name	Sodium azide
WEL TWA (OEL TWA)	0,1 mg/m³
WEL STEL (OEL STEL)	0,3 mg/m³
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
WEL chemical category	Potential for cutaneous absorption
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Iceland - Occupational Exposure Limits	
Local name	Natríumasíð
OEL TWA	0,1 mg/m³
OEL STEL	0,3 mg/m³
Remark	H (efnið getur auðveldlega borist inn í líkamann gegnum húð)
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)

	<b>SAFETY DATA SHEET</b>	Page : 14 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

<b>sodium azide (26628-22-8)</b>	
<b>Norway - Occupational Exposure Limits</b>	
Local name	Natriumazid
Grenseverdi (OEL TWA)	0,1 mg/m <sup>3</sup>
Korttidsverdi (OEL STEL)	0,3 mg/m <sup>3</sup> (value from the regulation)
Remark	E: EU har en veiledende grenseverdi og/eller anmerkning for stoffet.
Regulatory reference	FOR-2023-12-18-2278
<b>North Macedonia - Occupational Exposure Limits</b>	
Local name	натриум азид
OEL TWA	0,1 mg/m <sup>3</sup>
KTV	3
Short time value [mg/m <sup>3</sup> ]	0,3 mg/m <sup>3</sup>
Remark	(KTV) краткотрајна вредност (КТВ) значи концентрација на опасни хемиски супстанции во воздухот на работното место внатре во зона на дишење, на која работникот без опасност по здравјето може да е изложен на покосо време. Изложеноста на краткотрајни вредности може да трае највеќе 15 минути и не смее да се повтори повеќе од четирипати во работната смена, при што меѓу две изложености на оваа концентрација мора да измине најмалку 60 минути. Краткотрајната вредност е изразена во mg/m <sup>3</sup> или во ml/m <sup>3</sup> (ppm) а е дадена како многукратни дозволени пречекорувања на граничната вредност; (K) својство на полесно пренесување на супстанците во организмот преку кожата; (EU) European Union – гранична вредност, определена на ниво на Европската унија
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанции („Службен весник на Република Македонија“ бр.46/10)
<b>Switzerland - Occupational Exposure Limits</b>	
Local name	Azide de sodium / Natriumazid
MAK (OEL TWA)	0,2 mg/m <sup>3</sup> (also see Hydrazoic acid-inhalable dust)
KZGW (OEL STEL)	0,4 mg/m <sup>3</sup> (inhalable dust)
Remark	OSHA
Regulatory reference	www.suva.ch, 01.01.2024
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Sodium azide
ACGIH OEL C	0,29 mg/m <sup>3</sup>
	0,11 ppm
Remark (ACGIH)	TLV® Basis: Card impair; lung dam. Notations: A4 (Not classifiable as a Human Carcinogen)
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Regulatory reference	ACGIH 2024

	<b>SAFETY DATA SHEET</b>	Page : 15 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

#### 8.1.2. Recommended monitoring procedures

Monitoring methods	
Monitoring methods	Concentration measurement in air. Personal air monitoring .

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

Additional information : Recommended monitoring procedures :. Personal air monitoring. Room air monitoring

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

Engineering measure(s)	: Provide adequate ventilation. Organisational measures to prevent/limit releases, dispersion and exposure. See Section 7 for information on safe handling. Apply measures to prevent dust explosions. Ensure equipment is adequately earthed.
Personal protective equipment	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hand protection	: Wear chemically resistant gloves (tested to EN374) . Suitable material: Not determined. Thickness : Not determined. Breakthrough time : Not determined. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
Eye protection	: Use suitable eye protection (EN166): Safety glasses with side shields
Body protection	: Wear suitable protective clothing. Lab coat
Respiratory protection	: Not required for normal conditions of use. Provide appropriate exhaust ventilation at places where dust is formed. Effective dust mask (EN 149). When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. full face mask (DIN EN 136). Half-face mask (DIN EN 140). In case of dust formation use respirator with filter: P1 (EN 143)
Thermal hazard protection	: Not required for normal conditions of use. Use dedicated equipment.
Environmental exposure controls	: Avoid release to the environment. Comply with applicable Community environmental protection legislation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Light beige.
Appearance	: Powder. (lyophilised).
Odour	: odourless.
Odour threshold	: Not applicable
Melting / freezing point	: Not applicable

	<b>SAFETY DATA SHEET</b>	Page : 16 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

Freezing point	: Not applicable
Initial boiling point and boiling range	: Not applicable
Flammability	: Not applicable
Explosive properties	: Not applicable.
Oxidising properties	: Not applicable.
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not determined
pH	: Not applicable
pH solution	: Not available
Kinematic viscosity	: Not applicable
Dynamic viscosity	: Not applicable
Solubility	: Water: Not determined
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water	: Not applicable
Vapour pressure	: Not applicable
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not determined
Vapour density	: Not applicable
Particle size	: Not available

## **9.2. Other information**

### **9.2.1. Information with regard to physical hazard classes**

No additional information available

### **9.2.2. Other safety characteristics**

Relative evaporation rate (butylacetate=1)	: Not applicable
Additional information	: No data available

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

Stable at ambient temperature and under normal conditions of use. Reference to other sections: 10.4 & 10.5.

### **10.2. Chemical stability**

Stable under recommended storage conditions. (2-8°C). Observe the expiry date.

### **10.3. Possibility of hazardous reactions**

None under normal processing.

### **10.4. Conditions to avoid**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from moisture. See Section 7 for information on safe handling.



	<b>SAFETY DATA SHEET</b>	Page : 17 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

#### **10.5. Incompatible materials**

Strong oxidizing agents. See Section 7 for information on safe handling.

#### **10.6. Hazardous decomposition products**

Reference to other sections 5.2.

### **SECTION 11: Toxicological information**

#### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

<b>reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)</b>	
LD50/oral/rat	53 mg/kg (Source: NLM_CIP)
LD50/dermal/rabbit	87,12 mg/kg (Source: ECHA_API)

<b>sodium azide (26628-22-8)</b>	
LD50/oral/rat	45 mg/kg
LD50/dermal/rabbit	20 mg/kg (Source: NLM_HSDB)
LC50/inhalation/4h/rat	0,054 – 0,52 mg/l/4h

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

<b>AIA-PACK Serie 26</b>	
Kinematic viscosity	Not applicable

	<b>SAFETY DATA SHEET</b>	Page : 18 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

## **11.2. Information on other hazards**

### **11.2.1. Endocrine disrupting properties**

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### **11.2.2. Other information**

Other information

: Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

Environmental properties

: Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute)

: Not classified

Hazardous to the aquatic environment, long-term (chronic)

: Toxic to aquatic life with long lasting effects.

#### **sodium azide (26628-22-8)**

LC50 - Fish [1]	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC50 - Fish [2]	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)

### **12.2. Persistence and degradability**

#### **AIA-PACK Serie 26**

Persistence and degradability	No additional information available.
-------------------------------	--------------------------------------

### **12.3. Bioaccumulative potential**

#### **AIA-PACK Serie 26**

Partition coefficient n-octanol/water	Not applicable
Bioaccumulative potential	No additional information available.

#### **reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)**

BCF - Fish [1]	(54 dimensionless (whole body w.w.))
Partition coefficient n-octanol/water	-0,32 – 0,7 (at 20 °C (at pH >=5-<=9))

### **12.4. Mobility in soil**

#### **AIA-PACK Serie 26**

Mobility in soil	No additional information available
Ecology - soil	No data available.

	<b>SAFETY DATA SHEET</b>	Page : 19 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

#### 12.5. Results of PBT and vPvB assessment

AIA-PACK Serie 26	
Results of PBT assessment	Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

#### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

#### 12.7. Other adverse effects

Other adverse effects : No data available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Handle with care. See Section 7 for information on safe handling . Do not allow to enter into surface water or drains. Dispose of contaminated materials in accordance with current regulations.

Additional information : Delivery to an approved waste disposal company.






European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC) : Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
3077	3077	3077	3077	3077
<b>14.2. UN proper shipping name</b>				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))	Environmentally hazardous substance, solid, n.o.s. (reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))
<b>Transport document description</b>				
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)),	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)), 9, III, MARINE	UN 3077 Environmentally hazardous substance, solid, n.o.s. (reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)),	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)),


	<b>SAFETY DATA SHEET</b>	Page : 20 / 26
		Revision nr : 3.0
	<b>AIA-PACK Serie 26</b>	Issue date : 05/04/2024
		Supersedes : 31/03/2023
		<b>See annex</b>

ADR	IMDG	IATA	ADN	RID
9, III, (-)	POLLUTANT		9, III	9, III
<b>14.3. Transport hazard class(es)</b>				
9	9	9	9	9
				
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

#### **14.6. Special precautions for user**

Special precautions for user : No data available

#### **- Overland transport**

Classification code (ADR) : M7  
 Special provisions : 274, 335, 375, 601  
 Limited quantities (ADR) : 5kg  
 Excepted quantities (ADR) : E1  
 Packing instructions (ADR) : P002, IBC08, LP02, R001  
 Special packing provisions (ADR) : PP12, B3  
 Mixed packing provisions (ADR) : MP10  
 Portable tank and bulk container instructions (ADR) : T1, BK1, BK2, BK3  
 Portable tank and bulk container special provisions (ADR) : TP33  
 Tank code (ADR) : SGAV, LGBV  
 Vehicle for tank carriage : AT  
 Transport category (ADR) : 3  
 Special provisions for carriage - Packages (ADR) : V13  
 Special provisions for carriage - Bulk (ADR) : VC1, VC2  
 Special provisions for carriage - Loading, unloading and handling (ADR) : CV13  
 Hazard identification number (Kemler No.) : 90  
 Orange plates :   
 Tunnel restriction code : -  
 EAC code : 2Z

	<b>SAFETY DATA SHEET</b>	Page : 21 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

#### - Transport by sea

Special provisions (IMDG) : 274, 335, 966, 967, 969  
 Limited quantities (IMDG) : 5 kg  
 Excepted quantities (IMDG) : E1  
 Packing instructions (IMDG) : LP02, P002  
 Special packing provisions (IMDG) : PP12  
 IBC packing instructions (IMDG) : IBC08  
 IBC special provisions (IMDG) : B3  
 Tank instructions (IMDG) : BK1, BK2, BK3, T1  
 Tank special provisions (IMDG) : TP33  
 EmS-No. (Fire) : F-A  
 EmS-No. (Spillage) : S-F  
 Stowage category (IMDG) : A  
 Stowage and handling (IMDG) : SW23

#### - Air transport

PCA Excepted quantities (IATA) : E1  
 PCA Limited quantities (IATA) : Y956  
 PCA limited quantity max net quantity (IATA) : 30kgG  
 PCA packing instructions (IATA) : 956  
 PCA max net quantity (IATA) : 400kg  
 CAO packing instructions (IATA) : 956  
 CAO max net quantity (IATA) : 400kg  
 Special provisions (IATA) : A97, A158, A179, A197, A215  
 ERG code (IATA) : 9L

#### - Inland waterway transport

Classification code (ADN) : M7  
 Special provisions (ADN) : 274, 335, 375, 601  
 Limited quantities (ADN) : 5 kg  
 Excepted quantities (ADN) : E1  
 Carriage permitted (ADN) : T\* B\*\*  
 Equipment required (ADN) : PP, A\*\*\*  
 Number of blue cones/lights (ADN) : 0  
 Additional requirements/Remarks (ADN) : \* Only in the molten state. \*\* For carriage in bulk see also 7.1.4.1. \*\*\* Only in the case of transport in bulk.

#### - Rail transport

Classification code (RID) : M7  
 Special provisions (RID) : 274, 335, 375, 601  
 Limited quantities (RID) : 5kg  
 Excepted quantities (RID) : E1  
 Packing instructions (RID) : P002, IBC08, LP02, R001  
 Special packing provisions (RID) : PP12, B3  
 Mixed packing provisions (RID) : MP10

	<b>SAFETY DATA SHEET</b>	Page : 22 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

Portable tank and bulk container instructions (RID) : T1, BK1, BK2, BK3

Portable tank and bulk container special provisions (RID) : TP33

Tank codes for RID tanks (RID) : SGAV, LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W13

Special provisions for carriage – Bulk (RID) : VC1, VC2

Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31

Colis express (express parcels) (RID) : CE11

Hazard identification number (RID) : 90

#### **14.7. Maritime transport in bulk according to IMO instruments**

Code: IBC : No data available.

### **SECTION 15: Regulatory information**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **15.1.1. EU-Regulations**

##### **REACH Annex XVII (Restriction List)**

<b>EU restriction list (REACH Annex XVII)</b>		
<b>Reference code</b>	<b>Applicable on</b>	<b>Entry title or description</b>
3(b)	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

##### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

##### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

	<b>SAFETY DATA SHEET</b>	Page : 23 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

#### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### Detergent Regulation (648/2004/EC): Labelling of contents

### 15.1.2. National regulations

#### France

Installations classées			
No ICPE	Désignation de la rubrique	Code Régime	Rayon
4511.text	Dangereux pour l'environnement aquatique de catégorie chronique 2.		
4511.1	La quantité totale susceptible d'être présente dans l'installation étant : 1. Supérieure ou égale à 200 t Quantité seuil bas au sens de l'article R. 511-10 : 200 t. Quantité seuil haut au sens de l'article R. 511-10 : 500 t.	A	1
4511.2	La quantité totale susceptible d'être présente dans l'installation étant : 2. Supérieure ou égale à 100 t mais inférieure à 200 t Quantité seuil bas au sens de l'article R. 511-10 : 200 t. Quantité seuil haut au sens de l'article R. 511-10 : 500 t.	DC	

No ICPE

No ICPE

No ICPE

#### Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BlmSchV) : Listed in the 12. BlmSchV (Annex I) under: 1.3.2  
- Quantity threshold for operational area under § 1 para. 1  
- Sentence 1 : 200000 kg  
- Sentence 2 : 500000 kg

Technical Instructions on Air Quality Control (TA Luft) : Total dust.

	<b>SAFETY DATA SHEET</b>	Page : 24 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

## Netherlands

Waterbezwaarlijkheid	: A (2) - Vergiftig voor in water levende organismen kan in het aquatische milieu op lange termijn schadelijke effecten veroorzaken
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed

## Denmark

Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
-----------------------------	---

## 15.2. Chemical safety assessment

Not applicable

## SECTION 16: Other information

Indication of changes:

1.3	Details of the supplier of the safety data sheet	Modified	
-----	--	----------	--

Abbreviations and acronyms:

	ABM = Algemene beoordelingsmethodiek
	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
	CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
	IATA = International Air Transport Association
	IMDG = International Maritime Dangerous Goods Code
	LEL = Lower Explosive Limit/Lower Explosion Limit
	UEL = Upper Explosion Limit/Upper Explosive Limit
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	BTT = Breakthrough time (maximum wearing time)
	DMEL = Derived Minimal Effect level
	DNEL = Derived No Effect Level
	EC50 = Median Effective Concentration
	EL50 = Median effective level
	ErC50 = EC50 in terms of reduction of growth rate
	ErL50 = EL50 in terms of reduction of growth rate
	EWC = European waste catalogue
	LC50 = Median lethal concentration
	LD50 = Median lethal dose
	LL50 = Median lethal level
	NA = Not applicable
	NOEC = No observed effect concentration
	NOEL: no-observed-effect level
	NOELR = No observed effect loading rate
	NOAEC = No observed adverse effect concentration
	NOAEL = No observed adverse effect level



	<b>SAFETY DATA SHEET</b>	Page : 25 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

	N.O.S. = Not Otherwise Specified
	OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
	PNEC = Predicted No Effect Concentration
	Quantitative structure-activity relationship (QSAR)
	STOT = Specific Target Organ Toxicity
	TWA = time weighted average
	VOC = Volatile organic compounds
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the datasheet : Additional information : Manufacturer/Supplier. ECHA (European Chemicals Agency), LOLI.

Training advice : Training staff on good practice. Manipulations are to be done only by qualified and authorised persons.

Other information : Classification - Assessment method: CLP Calculation method (Article 9).

Full text of H- and EUH-statements:

Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH032	Contact with acids liberates very toxic gas.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A

	<b>SAFETY DATA SHEET</b>	Page : 26 / 26
		Revision nr : 3.0
		Issue date : 05/04/2024
	<b>AIA-PACK Serie 26</b>	Supersedes : 31/03/2023
		<b>See annex</b>

Classification according to Regulation (EC) No. 1272/2008 [CLP]  
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

## **ANNEX: AIA-PACK Serie 26, Tosoh-65**

**Revision Nr:** 20/04/2024

EN

<b>Product code</b>	<b>Designation</b>
0025428	AIA-PACK BNP CONTROL SET