

	<b>SAFETY DATA SHEET</b>	Page : 1 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : AIA-PACK Serie 37  
Product group : IN VITRO DIAGNOSTIC USE ONLY  
Document no. : See annex

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Laboratory use

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Tosoh Europe NV  
Transportstraat 4  
3980 Tessenderlo  
Belgium  
T +32 13 66 88 30, F +32 13 66 47 49  
[info.raqa.eu@tosoh.com](mailto:info.raqa.eu@tosoh.com)

#### Manufacturer

Tosoh Corporation  
2-2-1 Yaesu, Chuo-ku  
104-0028 Tokyo  
Japan

### 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 2 H319  
Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

	<b>SAFETY DATA SHEET</b>	Page : 2 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

:



GHS07

Signal word

: Warning

Hazard statements (CLP)

: H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

Precautionary statements (CLP)

: P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P337+P313 - If eye irritation persists: Get medical advice/attention.

## 2.3. Other hazards

Other hazards

: Results of PBT and vPvB assessment : Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index: 011-002-00-6	1 - <2	Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290

### Specific concentration limits:

Substance name	Product identifier	Specific concentration limits (%)
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index: 011-002-00-6	(0,5 $\leq$ C < 2) Eye Irrit. 2, H319 (0,5 $\leq$ C < 2) Skin Irrit. 2, H315 (2 $\leq$ C < 5) Skin Corr. 1B, H314 (5 $\leq$ C < 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

	<b>SAFETY DATA SHEET</b>	Page : 3 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Additional advice	: First aider: Pay attention to self-protection!. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance.
Inhalation	: Remove casualty to fresh air and keep warm and at rest. Give oxygen or artificial respiration if necessary. In case of doubt or persistent symptoms, consult always a physician.
Skin contact	: Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. In case of doubt or persistent symptoms, consult always a physician.
Eyes contact	: Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of doubt or persistent symptoms, consult always a physician.
Ingestion	: Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	: May be harmful if inhaled. May cause respiratory irritation.
Skin contact	: Causes skin irritation. May be harmful if absorbed through skin.
Eyes contact	: Causes serious eye irritation.
Ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: carbon dioxide (CO2), powder, alcohol-resistant foam, water spray.
Unsuitable extinguishing media	: Strong water jet.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards	: Not flammable. Heating will cause a rise in pressure with a risk of bursting.
Hazardous decomposition products in case of fire	: Unknown.

### 5.3. Advice for firefighters

Firefighting instructions	: Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.
Other information	: Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

	<b>SAFETY DATA SHEET</b>	Page : 4 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

## SECTION 6: Accidental release measures

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **6.1.1. For non-emergency personnel**

For non-emergency personnel : Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8.

#### **6.1.2. For emergency responders**

For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8.

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

### **6.3. Methods and material for containment and cleaning up**

Methods for cleaning up : Provide adequate ventilation. Stop leak if safe to do so. Dam up the liquid spill. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Recover large spills by pumping (use an explosion proof or hand pump). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation.

### **6.4. Reference to other sections**

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

## SECTION 7: Handling and storage

### **7.1. Precautions for safe handling**

Precautions for safe handling : Provide adequate ventilation. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment.

Hygiene measures : Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

	<b>SAFETY DATA SHEET</b>	Page : 5 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10. Bund storage facilities to prevent soil and water pollution in the event of spillage. Recommended storage temperature : 2-8°C. Protect from moisture.

Packaging materials : Keep only in the original container.

### Switzerland

Storage class (LK) : LK 10/12 - Liquids

## 7.3. Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

sodium hydroxide; caustic soda (1310-73-2)	
Austria - Occupational Exposure Limits	
Local name	Natriumhydroxid (Ätznatron)
MAK (OEL TWA)	2 mg/m <sup>3</sup> (inhalable fraction)
MAK (OEL STEL)	4 mg/m <sup>3</sup> (inhalable fraction)
Regulatory reference	BGBl. II Nr. 156/2021
Belgium - Occupational Exposure Limits	
Local name	Sodium (hydroxyde de) # Natriumhydroxide
OEL TWA	2 mg/m <sup>3</sup>
Remark	M: la mention "M" indique que lors d'une exposition supérieure à la valeur limite, des irritations apparaissent ou un danger d'intoxication aiguë existe. Le procédé de travail doit être conçu de telle façon que l'exposition ne dépasse jamais la valeur limite. Lors des mesurages, la période d'échantillonnage doit être aussi courte que possible afin de pouvoir effectuer des mesurages fiables. Le résultat des mesurages est calculé en fonction de la période d'échantillonnage. # M: de vermelding "M" duidt aan dat bij de blootstelling boven de grenswaarde irritatie optreedt of er gevaar bestaat voor acute vergiftiging. Het werkproces moet zo zijn ontworpen dat de blootstelling de grenswaarde nooit overschrijdt. Bij een controle geldt dat de bemonsterde periode zo kort mogelijk moet zijn om een betrouwbare meting te kunnen verrichten. Het meetresultaat wordt dan gerelateerd aan de beschouwde periode.
Regulatory reference	Koninklijk besluit/Arrêté royal 16/11/2023
Bulgaria - Occupational Exposure Limits	
Local name	Натриева основа
OEL TWA	2 mg/m <sup>3</sup> (alkaline aerosols)
Remark	• (Химични агенти, за които са определени гранични стойности във въздуха на работната среда за Европейската общност)

	<b>SAFETY DATA SHEET</b>	Page : 6 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

sodium hydroxide; caustic soda (1310-73-2)	
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)
Croatia - Occupational Exposure Limits	
Local name	Natrijev hidroksid; kaustična soda
KGVI (OEL STEL)	2 mg/m <sup>3</sup>
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 148/2023)
Czech Republic - Occupational Exposure Limits	
Local name	Hydroxid sodný
PEL (OEL TWA)	1 mg/m <sup>3</sup>
NPK-P (OEL C)	2 mg/m <sup>3</sup>
Remark	I - dráždí sliznice (oči, dýchací cesty) resp. kůže.
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 330/2023 Sb.)
Denmark - Occupational Exposure Limits	
Local name	Natriumhydroxid
OEL C	2 mg/m <sup>3</sup>
Regulatory reference	BEK nr 202 af 21/02/2023
Estonia - Occupational Exposure Limits	
Local name	Naatriumhüdroksiid
OEL TWA	1 mg/m <sup>3</sup>
OEL STEL	2 mg/m <sup>3</sup>
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 21.12.2022, 3)
Finland - Occupational Exposure Limits	
Local name	Natriumhydroksidi
HTP (OEL C)	2 mg/m <sup>3</sup>
Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)
France - Occupational Exposure Limits	
Local name	Sodium (hydroxyde de) (Hydroxyde de sodium)
VME (OEL TWA)	2 mg/m <sup>3</sup>
Remark	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 6443, 2022; Outil65)
Greece - Occupational Exposure Limits	
Local name	Υδροξείδιο του νατρίου
OEL TWA	2 mg/m <sup>3</sup>
OEL STEL	2 mg/m <sup>3</sup>

	<b>SAFETY DATA SHEET</b>	Page : 7 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

<b>sodium hydroxide; caustic soda (1310-73-2)</b>	
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
<b>Hungary - Occupational Exposure Limits</b>	
Local name	NÁTRIUM-HIDROXID
AK (OEL TWA)	1 mg/m <sup>3</sup>
CK (OEL STEL)	2 mg/m <sup>3</sup>
Remark	m (maró hatású anyag, amely felmarja a bőrt, nyálkahártyát, szemet vagy mindhármat); N (Irritáló anyagok, egyszerű fojtógázok, csekély egészségkárosító hatással bíró anyagok)
Regulatory reference	5/2020. (II. 6.) ITM rendelet - A kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
OEL STEL	2 mg/m <sup>3</sup>
Regulatory reference	Chemical Agents Code of Practice 2021
<b>Latvia - Occupational Exposure Limits</b>	
Local name	Nātrija hidroksīds (nātrija sārms, kaustiskā soda)
OEL TWA	0,5 mg/m <sup>3</sup>
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92)
<b>Lithuania - Occupational Exposure Limits</b>	
Local name	Natrio hidroksidas
NRV (OEL C)	2 mg/m <sup>3</sup>
Remark	Ū (ūmus poveikis)
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
<b>Poland - Occupational Exposure Limits</b>	
Local name	Wodorotlenek sodu
NDS (OEL TWA)	0,5 mg/m <sup>3</sup>
NDSch (OEL STEL)	1 mg/m <sup>3</sup>
Regulatory reference	Dz. U. 2018 poz. 1286 wraz z późn. zm.
<b>Portugal - Occupational Exposure Limits</b>	
Local name	Hidróxido de sódio
OEL C	2 mg/m <sup>3</sup>
	2 ppm
Regulatory reference	Norma Portuguesa NP 1796:2014
<b>Slovakia - Occupational Exposure Limits</b>	
Local name	Hydroxid sodný
NPHV (OEL TWA)	2 mg/m <sup>3</sup>

	<b>SAFETY DATA SHEET</b>	Page : 8 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

<b>sodium hydroxide; caustic soda (1310-73-2)</b>	
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
<b>Spain - Occupational Exposure Limits</b>	
Local name	Hidróxido de sodio
VLA-EC (OEL STEL)	2 mg/m³
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2024. INSHT
<b>Sweden - Occupational Exposure Limits</b>	
Local name	Natriumhydroxid
NGV (OEL TWA)	1 mg/m³ (inhalable fraction)
KGV (OEL STEL)	2 mg/m³ (inhalable fraction)
Remark	3 (Med inhalerbar fraktion menas den mängd partiklar, av totalmängden partiklar i luften, som man inandas genom näsa och mun)
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
WEL STEL (OEL STEL)	2 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
<b>Iceland - Occupational Exposure Limits</b>	
Local name	Natriumhýdroxíð (vítissóti)
OEL STEL	2 mg/m³
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
<b>Norway - Occupational Exposure Limits</b>	
Local name	Natriumhydroksid
Takverdi (OEL C)	2 mg/m³
Regulatory reference	FOR-2023-12-18-2278
<b>North Macedonia - Occupational Exposure Limits</b>	
Local name	Натриум хидроксид
OEL TWA	2 mg/m³ (l) инхалабилна фракција – дел на вкупно суспендирани материји, кои работникот ги вдишува
KTV	1
Short time value [mg/m³]	2 mg/m³



	<b>SAFETY DATA SHEET</b>	Page : 9 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

<b>sodium hydroxide; caustic soda (1310-73-2)</b>	
Remark	(KTV) краткотрајна вредност (КТВ) значи концентрација на опасни хемиски супстанции во воздухот на работното место внатре во зона на дишење, на која работникот без опасност по здравјето може да е изложен на покусо време. Изложеноста на краткотрајни вредности може да трае највеќе 15 минути и не смее да се повтори повеќе од четирипати во работната смена, при што меѓу две изложености на оваа концентрација мора да измине најмалку 60 минути. Краткотрајната вредност е изразена во mg/m3 или во ml/m3(ppm) а е дадена како многукратни дозволени пречекорувања на граничната вредност; (Y)
Regulatory reference	Правилник за минималните барања за безбедност и здравје при работа на вработени од ризици поврзани со изложување на хемиски супстанции („Службен весник на Република Македонија“ бр.46/10)
<b>Switzerland - Occupational Exposure Limits</b>	
Local name	Soude caustique / Natriumhydroxid [Aetznatron]
MAK (OEL TWA)	2 mg/m³ (inhalable dust)
KZGW (OEL STEL)	2 mg/m³ (inhalable dust)
Notation	SS <sub>c</sub> / SS <sub>c</sub>
Remark	NIOSH, OSHA
Regulatory reference	www.suva.ch, 01.01.2024
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Sodium hydroxide
ACGIH OEL C	2 mg/m³
Remark (ACGIH)	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH 2024

8.1.2. Recommended monitoring procedures

<b>Monitoring methods</b>	
Monitoring methods	Concentration measurement in air. Personal air monitoring .

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Additional information : Recommended monitoring procedures :. Personal air monitoring. Room air monitoring

8.1.5. Control banding

No additional information available

8.2. Exposure controls

Engineering measure(s) : Provide adequate ventilation. Organisational measures to prevent/limit releases, dispersion and exposure. See Section 7 for information on safe handling.

	<b>SAFETY DATA SHEET</b>	Page : 10 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

Personal protective equipment	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hand protection	: Wear chemically resistant gloves (tested to EN374) . Suitable material: Not determined. Thickness : Not determined. Breakthrough time : Not determined. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
Eye protection	: Use suitable eye protection (EN166): Safety glasses with side shields
Body protection	: Wear suitable protective clothing. Lab coat
Respiratory protection	: Not required for normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (DIN EN 140). full face mask (DIN EN 136). Filter type: ABEK (EN14387). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. (EN 137)
Thermal hazard protection	: Not required for normal conditions of use. Use dedicated equipment.
Environmental exposure controls	: Avoid release to the environment. Comply with applicable Community environmental protection legislation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: No data available.
Appearance	: Liquid.
Odour	: No data available.
Odour threshold	: No data available
Melting / freezing point	: No data available
Freezing point	: Not available
Initial boiling point and boiling range	: No data available
Flammability	: Not flammable
Explosive properties	: Not applicable.
Oxidising properties	: Not applicable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: No data available
Kinematic viscosity	: No data available
Dynamic viscosity	: No data available
Solubility	: Water: No data available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water	: No data available
Vapour pressure	: No data available

	<b>SAFETY DATA SHEET</b>	Page : 11 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

Vapour pressure at 50°C : Not available  
 Density : Not available  
 Relative density : No data available  
 Vapour density : No data available  
 Particle characteristics : Not applicable

## **9.2. Other information**

### **9.2.1. Information with regard to physical hazard classes**

No additional information available

### **9.2.2. Other safety characteristics**

Relative evaporation rate (butylacetate=1) : No data available  
 Additional information : No data available

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

Stable at ambient temperature and under normal conditions of use. Reference to other sections: 10.4 & 10.5.

### **10.2. Chemical stability**

Stable under recommended storage conditions. (2-8°C). Observe the expiry date.

### **10.3. Possibility of hazardous reactions**

No dangerous reactions known under normal conditions of use.

### **10.4. Conditions to avoid**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from moisture.  
 See Section 7 for information on safe handling.

### **10.5. Incompatible materials**

Strong oxidizing agents. See Section 7 for information on safe handling.

### **10.6. Hazardous decomposition products**

Reference to other sections 5.2.

## **SECTION 11: Toxicological information**

### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)  
 Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
 Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

<b>sodium hydroxide; caustic soda (1310-73-2)</b>	
LD50/oral/rat	325 mg/kg (Source: OECD_SIDS)
LD50/dermal/rabbit	1350 mg/kg (Source: NLM_HSDB)

	<b>SAFETY DATA SHEET</b>	Page : 12 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

Skin corrosion/irritation : Causes skin irritation.  
pH: No data available

<b>sodium hydroxide; caustic soda (1310-73-2)</b>	
pH	12 (conc: 0.05 % (solution))

Serious eye damage/irritation : Causes serious eye irritation.  
pH: No data available

<b>sodium hydroxide; caustic soda (1310-73-2)</b>	
pH	12 (conc: 0.05 % (solution))

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

<b>AIA-PACK Serie 37</b>	
Kinematic viscosity	No data available

## **11.2. Information on other hazards**

### **11.2.1. Endocrine disrupting properties**

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### **11.2.2. Other information**

Other information : Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

Environmental properties : According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".

Hazardous to the aquatic environment, short-term (acute) : Not classified

	<b>SAFETY DATA SHEET</b>	Page : 13 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

Hazardous to the aquatic environment, long-term (chronic) : Not classified

<b>sodium hydroxide; caustic soda (1310-73-2)</b>	
LC50 - Fish [1]	45,4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)

#### **12.2. Persistence and degradability**

<b>AIA-PACK Serie 37</b>	
Persistence and degradability	No additional information available.

#### **12.3. Bioaccumulative potential**

<b>AIA-PACK Serie 37</b>	
Partition coefficient n-octanol/water	No data available
Bioaccumulative potential	No additional information available.

#### **12.4. Mobility in soil**

<b>AIA-PACK Serie 37</b>	
Mobility in soil	No additional information available
Ecology - soil	No data available.

#### **12.5. Results of PBT and vPvB assessment**

<b>AIA-PACK Serie 37</b>	
Results of PBT assessment	Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

#### **12.6. Endocrine disrupting properties**

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

#### **12.7. Other adverse effects**

Other adverse effects : No data available.

	<b>SAFETY DATA SHEET</b>	Page : 14 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Avoid release to the environment. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.

European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC) : This material and its container must be disposed of as hazardous waste  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

Special precautions for user : No data available

#### - Overland transport

Not applicable

#### - Transport by sea

Not applicable

#### - Air transport

Not applicable

#### - Inland waterway transport

Not applicable

#### - Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Code: IBC : No data available.

	<b>SAFETY DATA SHEET</b>	Page : 15 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	AIA-PACK Serie 37	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (EU 1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

##### Detergent Regulation (648/2004/EC): Labelling of contents

#### 15.1.2. National regulations

	<b>SAFETY DATA SHEET</b>	Page : 16 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

## France

Installations classées			
No ICPE	Désignation de la rubrique	Code Régime	Rayon
na	Not Applicable	na	na

No ICPE

## Germany

Water hazard class (WGK) : WGK nwg, Non-hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Technical Instructions on Air Quality Control (TA Luft) : Total dust.

## Netherlands

Waterbezwaarlijkheid : B (4) - Weinig schadelijk voor in het water levende organismen

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

## 15.2. Chemical safety assessment

Not applicable

## SECTION 16: Other information

Indication of changes:

1.3	Details of the supplier of the safety data sheet	Modified	
-----	--	----------	--

Abbreviations and acronyms:

	ABM = Algemene beoordelingsmethodiek
	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
	CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
	IATA = International Air Transport Association
	IMDG = International Maritime Dangerous Goods Code
	LEL = Lower Explosive Limit/Lower Explosion Limit
	UEL = Upper Explosion Limit/Upper Explosive Limit
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	BTT = Breakthrough time (maximum wearing time)
	DMEL = Derived Minimal Effect level
	DNEL = Derived No Effect Level
	EC50 = Median Effective Concentration
	EL50 = Median effective level
	ErC50 = EC50 in terms of reduction of growth rate
	ErL50 = EL50 in terms of reduction of growth rate
	EWC = European waste catalogue
	LC50 = Median lethal concentration



	<b>SAFETY DATA SHEET</b>	Page : 17 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

	LD50 = Median lethal dose
	LL50 = Median lethal level
	NA = Not applicable
	NOEC = No observed effect concentration
	NOEL: no-observed-effect level
	NOELR = No observed effect loading rate
	NOAEC = No observed adverse effect concentration
	NOAEL = No observed adverse effect level
	N.O.S. = Not Otherwise Specified
	OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
	PNEC = Predicted No Effect Concentration
	Quantitative structure-activity relationship (QSAR)
	STOT = Specific Target Organ Toxicity
	TWA = time weighted average
	VOC = Volatile organic compounds
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the : Supplier information. ECHA (European Chemicals Agency). LOLI. datasheet

Training advice : Training staff on good practice. Manipulations are to be done only by qualified and authorised persons.

Other information : Classification - Assessment method: CLP Calculation method (Article 9).  
Physicochemical hazard assessment: Information given is based on tests on the mixture itself.

Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Classification according to Regulation (EC) No. 1272/2008 [CLP]  
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

	<b>SAFETY DATA SHEET</b>	Page : 18 / 18
		Revision nr : 2.0
		Issue date : 25/04/2024
	<b>AIA-PACK Serie 37</b>	Supersedes : 18/01/2023
		<b>See annex</b>

## **ANNEX: AIA-PACK Serie 37, Tosoh-116**

**Revision Nr:** 10/05/2024

EN

<b>Product code</b>	<b>Designation</b>
0020710	AIA-PACK RBC FOLATE PRETREATMENT SET - PRETREATMENT-2
0025734	ST AIA-PACK 25-OH Vitamin D PRETREATMENT SET - PRETREATMENT-1